# EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|--------------|-----|------------------|---------|------------|
| L1 | 9 | ("5297262" "5553287" "5875479" "6016495" "20020059425").pn. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/18 19:57 |
| L2 | 6175 | (shar$3 distribut$3) near5 (configur$5) with (servic$3 process$3) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/18 20:21 |
| L3 | 6917 | (shar$3 distribut$3 (runtime near2 information) (communicat$3 near2 connection) ((port wire) near3 (information data))) near5 (configur$5) with (servic$3 process$3) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/18 20:05 |
| L4 | 58 | 3 same (local$3 near3 (computer connection resource)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/18 20:21 |
| L5 | 0 | 4 and (plural$3 several multipl$5 many) near3 (API (application adj programming adj interface)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/18 20:22 |
| L6 | 92 | 3 and (plural$3 several multipl$5 many) near3 (API (application adj programming adj interface)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/18 20:16 |
| L7 | 59 | 6 and (permission lock$3 permit$3 grant$3) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/18 20:13 |
| L8 | 41 | 4 and (permission lock$3 permit$3 grant$3) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/18 20:13 |

# EAST Search History

| | | | | | | |
|---|---|---|---|---|---|---|
| L9 | 1 | 3 same (plural$3 several multipl$5 many) near3 (API (application adj programming adj interface)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/18 20:16 |
| L10 | 0 | 1 and ((shar$3 distribut$3) near5 (configur$5) with (servic$3 process$3)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/18 20:21 |
| L11 | 3 | 1 and (local$3 near3 (computer connection resource)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/18 20:21 |
| L12 | 0 | 11 and (plural$3 several multipl$5 many) near3 (API (application adj programming adj interface)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/18 20:22 |
| L13 | 100 | 7 8 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/18 20:24 |
| L14 | 6 | 13 and (((allocat$3 distribut$3 assign$5) near3 (memory region portion block segment)) same ((configur$5 runtime communication connection) near3 (information data))) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/18 21:04 |
| L15 | 6 | 14 and ((reciev$3 send$3 sent stor$3 copy$3 copied) near5 ((configur$5 runtime communication connection))) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/18 20:34 |
| L16 | 4 | 14 and ((reciev$3 send$3 sent stor$3 copy$3 copied) near5 ((configur$5 runtime communication connection) near2 (data information))) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/18 20:35 |

| L17 | | 4 | 16 and (access$5 permission lock$3 unlock$3) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/18 20:38 |
|-----|---|---|---|---|---|---|---|
| L18 | | 0 | 17 and (((revis$3 updat$3) near3 (data information)) with configur$5) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/18 20:45 |
| L19 | | 3 | 17 and (((revis$3 updat$3) near3 (data information))) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/18 20:50 |
| L20 | | 1 | 19 and (((most adj recent) (up adj to adj date) latest) near3 (data information configur$5)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/18 21:29 |
| L21 | | 0 | 19 and ((chang$3 modif$5 redirect$3) near3 pointer) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/18 20:57 |
| L22 | | 3 | 19 and ( pointer) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/18 20:59 |
| L23 | | 0 | 22 and ((sufficient$3 enough) near3 (space capacity memory)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/18 21:27 |
| L24 | | 1 | 22 and ((sufficient$3 enough available) near5 (space capacity memory)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/18 21:01 |

# EAST Search History

| L25 | 3 | 22 and (stor$3 near5 configur$5) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/18 21:01 |
|---|---|---|---|---|---|---|
| L26 | 3 | 25 and (((allocat$3 distribut$3 assign$5) near3 (memory region portion block segment)) same ((configur$5 runtime communication connection) near3 (information data))) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/18 21:05 |
| L27 | 0 | 26 and (((valid$3 invalid) near3 data) with (memory region portion sector section block segment)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/18 21:08 |
| L28 | 0 | 26 and (((valid$3 invalid) near5 data) with (memory region portion sector section block segment)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/18 21:08 |
| L29 | 0 | 26 and (((valid$3 invalid true right) near5 (data value)) with (memory region portion sector section block segment)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/18 21:11 |
| L30 | 0 | 14 and (((valid$3 invalid true right) near5 (data value)) with (memory region portion sector section block segment)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/18 21:11 |
| L31 | 34 | 13 and (((valid$3 invalid true right) near5 (data value)) with (memory region portion sector section block segment)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/18 21:11 |
| L32 | 2 | 8 and (((valid$3 invalid true right) near5 (data value)) with (memory region portion sector section block segment)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/18 22:07 |

# EAST Search History

| L33 | 0 | 31 and ((sufficient$3 enough) near3 (space capacity memory)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/18 21:29 |
|-----|---|---|---|---|---|---|
| L34 | 1 | 31 and ((sufficient$3 enough adequate$3) near5 (space capacity memory)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/18 21:29 |
| L35 | 0 | 34 and (((most adj recent) (up adj to adj date) latest) near3 (data information configur$5)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/18 21:30 |
| L36 | 0 | 34 and (((most adj recent) (up adj to adj date) latest) near5 (data information configur$5)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/18 22:01 |
| L37 | 0 | 26 and (stor$3 near3 pointer) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/18 22:03 |
| L38 | 3 | 26 and ((identif$7 parameter value) near5 configur$5) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/18 21:37 |
| L39 | 3 | 38 and (configur$5 near5 (type port parameter)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/18 22:01 |
| L40 | 1 | 39 and ((stor$3 writ$4 copy$3) near3 (character string value)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/18 21:43 |

| L41 | | 0 | 39 and (((stor$3 writ$4 copy$3) near3 (character string value nmber)) with configur$5) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/18 21:44 |
|---|---|---|---|---|---|---|---|
| L42 | | 6 | 13 and (((most adj recent) (up adj to adj date) latest) near5 (data information configur$5)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/18 22:01 |
| L43 | | 1 | 42 and ((stor$3 chang$3 updat$3) near3 pointer) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/18 22:04 |
| L44 | | 2 | 42 and ((stor$3 chang$3 updat$3) near5 pointer) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/18 22:05 |
| L45 | | 1 | 43 and ((sufficient$3 enough adequate$3) near3 (space memory location storage)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/18 22:16 |
| L46 | | 0 | 45 and (((valid$3 invalid true right) near5 (data value)) with (memory region portion sector section block segment)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/18 22:08 |
| L47 | | 0 | 45 and (((valid$3 invalid true right) near5 (data value)) ) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/18 22:10 |
| L48 | | 0 | 45 and (((valid$3 invalid true right) near5 (data value character string)) ) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/18 22:11 |

# EAST Search History

| L49 | . | 2 | 42 and (((valid$3 invalid true right) near5 (data value character string))) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/18 22:13 |
|-----|---|---|------------------------------------------------------------------------------|----------------------------------------------------|----|----|-------------------|
| L50 | | 34 | 31 and (((valid$3 invalid true right) near5 (data value character string))) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/18 22:13 |
| L51 | | 2 | 50 and ((stor$3 near3 (string character number value)) with (memory region)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/18 22:17 |